

Pihsiang® Solar LED Lamp

Instruction Manual

1. Introduction :

Congratulations on your purchase of Pihsiang® Solar LED Lamp. To ensure the fully functional and long-lasting uses of this Product, Fig. 1 shows pertinent components. Please read thoroughly the following instructions before start using this product.

2. Functional Features :

2-1 For night illumination, casual reading, courtesy, wall-mounted and camping.

2-2 Compact, light weight and portable.

2-3 Direct sun-light charging for all possible uses.

2-4 No plug-in charging for safety and zero carbon-emissions.

2-5 Copy-right protected by four world patents including parts or exterior design.

2-6 Continuous operation for 8 to 10 hours after direct sun-light charging for 5 to 8 hours; the operational hours may vary due to seasonal change of sun-light intensity.

3. Specifications :

3-1 Two-position power switch.

3-2 High-efficiency silicon solar panel.

3-3 High-efficiency world-patented C-LiFePO₄ battery made by PHET.

3-4 High-illumination power white-light LED.

3-5 Voltage balancing board protection.

3-6 Operational temperature from -20 to 60 degree C.

3-7 Dimensions as 203 mm by 105 mm by 68 mm when fully folded.

3-8 Net weight approx. 420 gram.

4. Appearance :





Fig. 1





※ Copy-right protected by four world patents on parts including exterior design.

5. Normal-usage Instructions :

- 5-1 For functional operation, solar panel must face toward direct sun-light and charge it for 5 to 8 hours before use.
- 5-2 Unfold the product and make the solar panel facing down as the base; or, use the hook on the base for wall-mount purposes. Make sure the product is completely secured for long-time operation.
- 5-3 Turn-on the power-switch and pull up the arm for proper angle of illumination. Adjust the knobs if it is necessary.
- 5-4 Turn-off the power-switch whenever the light is not in use. Must turn off the light while charging.
- 5-5 Stay away from flames or combustibles during charging or operating.

6. Maintenance :

Do not disassemble any parts on the product. Clean with damped cloth on the exterior. Try to keep regular charging once a month if not in regular uses.

7. Product Warranty :

- 7-1 One-year limited warranty under normal uses on the power LED and battery.

※ PMMC reserves all rights to change the wording and specification without prior notice

